

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Date of issue: 11/11/2014 Revision date: 13/01/2023 Supersedes version of: 19/04/2018 Version: 1.3

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Substance

Trade name : UN2967 Sulfamic acid AGR

Chemical name : sulphamidic acid; sulphamic acid; sulfamic acid

 IUPAC name
 : sulphamidic acid

 EC Index-No.
 : 016-026-00-0

 EC-No.
 : 226-218-8

 CAS-No.
 : 5329-14-6

 REACH registration No
 : 01-2119488633-28

 Product code
 : SLAC-00A

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

: H3NO3S

#### 1.2.1. Relevant identified uses

Main use category : Laboratory use

#### 1.2.2. Uses advised against

No additional information available

## 1.3. Details of the supplier of the safety data sheet

labbox labware s.l.

Migjorn, 1

Formula

P.O. Box Barcelona (SPAIN)

08338 Premia de Dalt - SPAIN

ES

T +34 937 07 79 70 - F +34 937 909 532 info@labbox.com - www.labbox.com

#### 1.4. Emergency telephone number

Emergency number

: +34 937 077 970 (For technical information\_Office Hours) In case of medical emergency phone 112 or to your local emergency number.

Country	Organisation/Company	Address	Emergency number	Comment
United Kingdom	National Poisons Information Service (Belfast Centre) Royal Victoria Hospital	Grosvenor Road BT12 6BA	0344 892 0111	

## **SECTION 2: Hazards identification**

## 2.1. Classification of the substance or mixture

#### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin corrosion/irritation, Category 2
H315
Serious eye damage/eye irritation, Category 2
H32ardous to the aquatic environment — Chronic Hazard, Category 3
H412

Full text of H and EUH statements: see section 16

#### Adverse physicochemical, human health and environmental effects

No additional information available

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### 2.2. Label elements

#### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



GHS07

Signal word (CLP) : Warning

Hazard statements (CLP) : H315 - Causes skin irritation.

H319 - Causes serious eye irritation.

H412 - Harmful to aquatic life with long lasting effects.

Precautionary statements (CLP) : P273 - Avoid release to the environment.

P302+P352 - IF ON SKIN: Wash with plenty of soap and water.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.
P332+P313 - If skin irritation occurs: Get medical advice/attention.
P337+P313 - If eye irritation persists: Get medical advice/attention.
P362+P364 - Take off contaminated clothing and wash it before reuse.

#### 2.3. Other hazards

No additional information available

## **SECTION 3: Composition/information on ingredients**

#### 3.1. Substances

Substance type : Mono-constituent

Name	Product identifier	%
Sulfamic acid	CAS-No.: 5329-14-6 EC-No.: 226-218-8 EC Index-No.: 016-026-00-0 REACH-no: 01-2119488633- 28	≥ 99

#### 3.2. Mixtures

Not applicable

## **SECTION 4: First aid measures**

## 4.1. Description of first aid measures

First-aid measures general : Remove person to fresh air and keep comfortable for breathing. Never give anything by mouth to an unconscious person.

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. Allow the victim to rest. If

you feel unwell, seek medical advice.

First-aid measures after skin contact : Rinse skin with water/shower. Take off contaminated clothing. If skin irritation occurs: Get

medical advice/attention.

First-aid measures after eye contact : Immediately rinse with water for a prolonged period while holding the eyelids wide open.

Remove contact lenses, if present and easy to do. Continue rinsing. Rinse cautiously with water for several minutes.

First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.

#### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation : May cause respiratory irritation. Symptoms/effects after skin contact : May cause moderate irritation.

13/01/2023 (Revision date) EN (English) 2/11

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Symptoms/effects after eye contact : Causes serious eye irritation.

Symptoms/effects after ingestion : May cause irritation to the digestive tract.

## 4.3. Indication of any immediate medical attention and special treatment needed

Never give anything by mouth to an unconscious person.

## **SECTION 5: Firefighting measures**

## 5.1. Extinguishing media

Suitable extinguishing media : Water spray. Foam. Carbon dioxide. Dry powder.

#### 5.2. Special hazards arising from the substance or mixture

Fire hazard : Non combustible.

#### 5.3. Advice for firefighters

Firefighting instructions : Exercise caution when fighting any chemical fire.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment : Equip cleanup crew with proper protection.

Emergency procedures : Ventilate area.

## 6.2. Environmental precautions

Prevent entry to sewers and public waters.

#### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Collect spillage. Minimise generation of dust.

## 6.4. Reference to other sections

For further information refer to section 13. See Heading 8.

## **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

Precautions for safe handling : Do not get in eyes, on skin, or on clothing.

Hygiene measures : Wash hands and other exposed areas with mild soap and water before eating, drinking or

smoking and when leaving work.

## 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking. Store in a well-ventilated place. Keep container tightly closed.

Storage area : Store in a well-ventilated place.

Special rules on packaging : Keep only in original container. Store in a closed container.

#### 7.3. Specific end use(s)

Laboratory chemicals.

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

## **SECTION 8: Exposure controls/personal protection**

## 8.1. Control parameters

## 8.1.1 National occupational exposure and biological limit values

No additional information available

## 8.1.2. Recommended monitoring procedures

No additional information available

#### 8.1.3. Air contaminants formed

No additional information available

## 8.1.4. DNEL and PNEC

UN2967 Sulfamic acid AGR (5329-14-6)	N2967 Sulfamic acid AGR (5329-14-6)	
DNEL/DMEL (Workers)		
Long-term - systemic effects, dermal	10 mg/kg bodyweight/day	
DNEL/DMEL (General population)		
Long-term - systemic effects,oral	5 mg/kg bodyweight/day	
Long-term - systemic effects, dermal	5 mg/kg bodyweight/day	
PNEC (Water)		
PNEC aqua (freshwater)	0,048 mg/l	
PNEC aqua (marine water)	0,0048 mg/l	
PNEC aqua (intermittent, freshwater)	0,48 mg/l	
PNEC (Sediment)		
PNEC sediment (freshwater)	0,173 mg/kg dwt	
PNEC sediment (marine water)	0,0173 mg/kg dwt	
PNEC (Soil)		
PNEC soil	0,00638 mg/kg dwt	
PNEC (STP)		
PNEC sewage treatment plant	2 mg/l	

#### 8.1.5. Control banding

No additional information available

## 8.2. Exposure controls

#### 8.2.1. Appropriate engineering controls

No additional information available

## 8.2.2. Personal protection equipment

## Personal protective equipment:

Avoid all unnecessary exposure. EN 374.

## Personal protective equipment symbol(s):







## 8.2.2.1. Eye and face protection

#### Eye protection:

Safety glasses

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### 8.2.2.2. Skin protection

#### Skin and body protection:

Wear suitable protective clothing

#### Hand protection:

Protective gloves against chemicals (EN 374)

#### 8.2.2.3. Respiratory protection

#### Respiratory protection:

Wear appropriate mask

espiratory protection			
Device	Filter type	Condition	Standard
	ABEK		

#### 8.2.2.4. Thermal hazards

No additional information available

#### 8.2.3. Environmental exposure controls

#### Other information:

Do not eat, drink or smoke when using this product.

## **SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

Physical state : Solid Colour : white. Molecular mass : 97,9 g/mol Odour : odourless. Odour threshold : Not available Melting point : 205 °C Freezing point : Not available **Boiling point** : Not available Flammability : Not available Explosive limits : Not applicable Lower explosion limit : Not applicable Upper explosion limit : Not applicable Flash point : Not applicable Auto-ignition temperature Not applicable : 209 °C Decomposition temperature рΗ 1,2 (1% 20° C)

pH solution : Not available
Viscosity, kinematic : Not applicable

Calculation : Water 404 7(40)

Solubility : Water: 181 g/100cm³ 20° C

Partition coefficient n-octanol/water (Log Kow) : Not available Vapour pressure : 0,0078 hPa 20° C Vapour pressure at 50 °C : Not available

Density : 2,15 g/cm³ Type: 'density' Temp.: 20 °C

Relative density : Not available
Relative vapour density at 20 °C : Not applicable
Particle size : Not available

## 9.2. Other information

#### 9.2.1. Information with regard to physical hazard classes

No additional information available

## 9.2.2. Other safety characteristics

No additional information available

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

## **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

Stable in use and storage conditions as recommended in item 7.

#### 10.2. Chemical stability

Stable under normal conditions of use.

#### 10.3. Possibility of hazardous reactions

Heavy metals.

## 10.4. Conditions to avoid

Overheating.

#### 10.5. Incompatible materials

Metals. Acids.

## 10.6. Hazardous decomposition products

Toxic vapours are released.

## **SECTION 11: Toxicological information**

## 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

UN2967 S	Sulfamic	acid AGR (	(5329-14-6)
----------	----------	------------	-------------

LD50 dermal rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal
	Toxicity)

Skin corrosion/irritation : Causes skin irritation.

pH: 1,2 (1% 20° C)

Serious eye damage/irritation : Causes serious eye irritation.

pH: 1,2 (1% 20° C)

Respiratory or skin sensitisation : Not classified
Germ cell mutagenicity : Not classified
Carcinogenicity : Not classified
Reproductive toxicity : Not classified
STOT-single exposure : Not classified
STOT-repeated exposure : Not classified
Aspiration hazard : Not classified

## 11.2. Information on other hazards

No additional information available

## **SECTION 12: Ecological information**

#### 12.1. Toxicity

Hazardous to the aquatic environment, short-term

: Not classified

(acute)

Hazardous to the aquatic environment, long-term

: Harmful to aquatic life with long lasting effects.

(chronic)

13/01/2023 (Revision date) EN (English) 6/11

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

UN2967 Sulfamic acid AGR (5329-14-6)	
LC50 - Fish [1]	70,3 mg/l Test organisms (species): Pimephales promelas
EC50 - Daphnia [1]	71,6 mg/l Test organisms (species): Daphnia magna
EC50 72h - Algae [1]	48 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)
EC50 72h - Algae [2]	33,8 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)

#### 12.2. Persistence and degradability

No additional information available

## 12.3. Bioaccumulative potential

No additional information available

#### 12.4. Mobility in soil

No additional information available

## 12.5. Results of PBT and vPvB assessment

No additional information available

#### 12.6. Endocrine disrupting properties

No additional information available

#### 12.7. Other adverse effects

No additional information available

## **SECTION 13: Disposal considerations**

## 13.1. Waste treatment methods

Waste treatment methods : Must follow special treatment according to local regulation.

European List of Waste (LoW) code : 16 03 05\* - organic wastes containing dangerous substances

## **SECTION 14: Transport information**

In accordance with ADR / IMDG / IATA / ADN / RID

## 14.1. UN number or ID number

 UN-No. (ADR)
 : UN 2967

 UN-No. (IMDG)
 : UN 2967

 UN-No. (IATA)
 : UN 2967

 UN-No. (ADN)
 : UN 2967

 UN-No. (RID)
 : UN 2967

## 14.2. UN proper shipping name

Proper Shipping Name (ADR) : SULPHAMIC ACID
Proper Shipping Name (IMDG) : SULPHAMIC ACID
Proper Shipping Name (IATA) : Sulphamic acid
Proper Shipping Name (ADN) : SULPHAMIC ACID
Proper Shipping Name (RID) : SULPHAMIC ACID

Transport document description (ADR)

: UN 2967 SULPHAMIC ACID, 8, III, (E)

Transport document description (IMDG)

: UN 2967 SULPHAMIC ACID, 8, III

Transport document description (IATA)

: UN 2967 SULPHAMIC ACID, 8, III

Transport document description (ADN)

: UN 2967 SULPHAMIC ACID, 8, III

Transport document description (RID)

: UN 2967 SULPHAMIC ACID, 8, III

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

## 14.3. Transport hazard class(es)

#### ADR

: 8 Transport hazard class(es) (ADR) 8 Danger labels (ADR)



IMDG

Transport hazard class(es) (IMDG) : 8 Danger labels (IMDG) : 8



IATA

Transport hazard class(es) (IATA) : 8 Danger labels (IATA) 8



ADN

Transport hazard class(es) (ADN) : 8

Danger labels (ADN) 8



RID

Transport hazard class(es) (RID) : 8 Danger labels (RID) 8



## 14.4. Packing group

Packing group (ADR) : 111 Packing group (IMDG) Ш Packing group (IATA) Ш Packing group (ADN) Ш Packing group (RID) : 111

## 14.5. Environmental hazards

Dangerous for the environment : No Marine pollutant : No

Other information : No supplementary information available

## 14.6. Special precautions for user

#### **Overland transport**

: C2 Classification code (ADR)

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Limited quantities (ADR) : 5kg
Excepted quantities (ADR) : E1

Packing instructions (ADR) : P002, IBC08, LP02, R001

Special packing provisions (ADR) : B3
Mixed packing provisions (ADR) : MP10
Portable tank and bulk container instructions (ADR) : T1
Portable tank and bulk container special provisions : TP33

(ADR)

Tank code (ADR) : SGAV
Vehicle for tank carriage : AT
Transport category (ADR) : 3

Special provisions for carriage - Bulk (ADR) : VC1, VC2, AP7

Hazard identification number (Kemler No.) : 80

Orange plates :

80 2967

Tunnel restriction code (ADR) : EAC code : 2X

Transport by sea

Limited quantities (IMDG) : 5 kg : E1 Excepted quantities (IMDG) : P002, LP02 Packing instructions (IMDG) : IBC08 IBC packing instructions (IMDG) IBC special provisions (IMDG) : B3 Tank instructions (IMDG) T1 TP33 Tank special provisions (IMDG) EmS-No. (Fire) : F-A S-B EmS-No. (Spillage) Stowage category (IMDG) Α

Properties and observations (IMDG) : White crystalline powder. Soluble in water. Decomposes when heated, evolving toxic fumes.

Causes burns to skin, eyes and mucous membranes.

Air transport

PCA Excepted quantities (IATA) : E1 PCA Limited quantities (IATA) Y845 : 5kg PCA limited quantity max net quantity (IATA) PCA packing instructions (IATA) 860 PCA max net quantity (IATA) 25kg CAO packing instructions (IATA) 864 CAO max net quantity (IATA) 100kg ERG code (IATA) 8L

Inland waterway transport

Classification code (ADN) : C2
Limited quantities (ADN) : 5 kg
Excepted quantities (ADN) : E1
Equipment required (ADN) : PP, EP
Number of blue cones/lights (ADN) : 0

Rail transport

Classification code (RID) : C2
Limited quantities (RID) : 5kg
Excepted quantities (RID) : E1

Packing instructions (RID) : P002, IBC08, LP02, R001

Special packing provisions (RID) : B3

Mixed packing provisions (RID) : MP10

Portable tank and bulk container instructions (RID) : T1

Portable tank and bulk container special provisions : TP33

(RID)

Tank codes for RID tanks (RID) : SGAV

13/01/2023 (Revision date) EN (English) 9/11

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Transport category (RID) : 3

Special provisions for carriage – Bulk (RID) : VC1, VC2, AP7

Colis express (express parcels) (RID) : CE11 Hazard identification number (RID)

#### 14.7. Maritime transport in bulk according to IMO instruments

Not applicable

## **SECTION 15: Regulatory information**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

#### **REACH Annex XVII (Restriction List)**

No REACH Annex XVII restrictions

#### **REACH Annex XIV (Authorisation List)**

UN2967 Sulfamic acid AGR is not on the REACH Annex XIV List

#### **REACH Candidate List (SVHC)**

UN2967 Sulfamic acid AGR is not on the REACH Candidate List

#### **PIC Regulation (Prior Informed Consent)**

UN2967 Sulfamic acid AGR is not subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 july 2012 concerning the export and import of hazardous chemicals.

#### **POP Regulation (Persistent Organic Pollutants)**

UN2967 Sulfamic acid AGR is not subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

#### Ozone Regulation (1005/2009)

Sulfamic acid is not subject to REGULATION (EU) No 1005/2009 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 September 2009 on substances that deplete the ozone layer.

#### **Explosives Precursors Regulation (2019/1148)**

Contains no substance subject to Regulation (EU) 2019/1148 of the European Parliament and of the Council of 20 June 2019 on the marketing and use of explosives precursors.

#### **Drug Precursors Regulation (273/2004)**

Contains no substance subject to Regulation (EC) 273/2004 of the European Parliament and of the Council of 11 February 2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances.

## 15.1.2. National regulations

#### Germany

Water hazard class (WGK) : WGK 1, Slightly hazardous to water (Classification according to VwVwS, Annex 1 or 2; ID

No. 1266).

Hazardous Incident Ordinance (12. BlmSchV) : Is not subject of the Hazardous Incident Ordinance (12. BImSchV)

#### **Netherlands**

SZW-lijst van kankerverwekkende stoffen : The substance is not listed SZW-lijst van mutagene stoffen The substance is not listed NIET-limitatieve lijst van voor de voortplanting The substance is not listed

giftige stoffen - Borstvoeding

NIET-limitatieve lijst van voor de voortplanting

giftige stoffen - Vruchtbaarheid

NIET-limitatieve lijst van voor de voortplanting

giftige stoffen - Ontwikkeling

: The substance is not listed

: The substance is not listed

#### 15.2. Chemical safety assessment

No additional information available

13/01/2023 (Revision date) EN (English) 10/11

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

## **SECTION 16: Other information**

Full text of H- and EUH-statements:	
Aquatic Chronic 3	Hazardous to the aquatic environment — Chronic Hazard, Category 3
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H412	Harmful to aquatic life with long lasting effects.
Skin Irrit. 2	Skin corrosion/irritation, Category 2

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.