

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Date of issue: 04.02.2013 Revision date: 18.09.2023 Supersedes version of: 03.08.2022 Version: 2.3

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture

Name Sodium hydroxide

Trade name UN1824 Sodium Hydroxide, volumetric solution 5.0 M (5.0 N)

EC Index-No. : 011-002-00-6 FC-No. : 215-185-5 CAS-No. : 1310-73-2 Product code : SOHY-5V0

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category : Laboratory use

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

labbox labware s.l.

Migjorn, 1

P.O. Box Barcelona (SPAIN)

08338 Premia de Dalt - SPAIN

T +34 937 07 79 70 - F +34 937 909 532

info@labbox.com - www.labbox.com

1.4. Emergency telephone number

: +34 937 077 970 (For technical information_Office Hours) In case of medical emergency **Emergency number** phone 112 or to your local emergency number.

| Country | Organisation/Company | Address | Emergency number | Comment |
|----------------|---|----------------------------|------------------|---------|
| United Kingdom | National Poisons Information Service (Belfast Centre) Royal Victoria Hospital | Grosvenor Road BT12 6BA | 0344 892 0111 | |

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin corrosion/irritation, Category 1A

Full text of H and EUH statements: see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

GHS05

Signal word (CLP) : Danger

Contains : SODIUM HYDROXIDE

Hazard statements (CLP) : H314 - Causes severe skin burns and eye damage.

Precautionary statements (CLP) : P301+P330+P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

P303+P361+P353 - IF ON SKIN (or hair): Remove/Take off immediately all contaminated

clothing. Rinse skin with water/shower.

P304+P340 - IF INHALED: Remove victim to fresh air and keep at rest in a position

comfortable for breathing.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. P310 - Immediately call a POISON CENTER or doctor/physician.

Nordic countries regulation

Denmark

MAL code : 00-3 (Executive Order No. 301 (1993))

2.3. Other hazards

PBT: not relevant - no registration required

Contains no PBT/vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

| Name | Product identifier | % | Classification according to Regulation (EC) No. 1272/2008 [CLP] |
|------------------|---|---|---|
| SODIUM HYDROXIDE | CAS-No.: 1310-73-2 EC-No.: 215-185-5 EC Index-No.: 011-002-00-6 REACH-no: 01-2119457892- 27 | | Skin Corr. 1A, H314 |

| Specific concentration limits: | | | |
|--------------------------------|---|---|--|
| Name | Product identifier | Specific concentration limits (%) | |
| SODIUM HYDROXIDE | CAS-No.: 1310-73-2 EC-No.: 215-185-5 EC Index-No.: 011-002-00-6 REACH-no: 01-2119457892- 27 | $(0,5 \le C < 2)$ Eye Irrit. 2, H319 $(0,5 \le C < 2)$ Skin Irrit. 2, H315 $(2 \le C < 5)$ Skin Corr. 1B, H314 $(5 \le C < 100)$ Skin Corr. 1A, H314 | |

Full text of H and EUH statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. Call a physician

immediately.

First-aid measures after skin contact : Wash skin with plenty of water. Take off immediately all contaminated clothing.

18.09.2023 (Revision date) EN (English) 2/11

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

First-aid measures after eye contact : Immediately rinse with water for a prolonged period while holding the eyelids wide open.

Consult an eye specialist.

First-aid measures after ingestion : If the person is fully conscious, make him/her drink warm water (1/2 litre). Never give an

unconscious person anything to drink. Get immediate medical advice/attention.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects : Causes severe skin burns and eye damage.

Symptoms/effects after inhalation : May cause respiratory irritation.

Symptoms/effects after skin contact : Causes severe burns. Symptoms/effects after eye contact : Serious damage to eyes.

4.3. Indication of any immediate medical attention and special treatment needed

Never give anything by mouth to an unconscious person.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Carbon dioxide.

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire : Toxic vapours are released.

5.3. Advice for firefighters

Precautionary measures fire : Stop leak if safe to do so.

Protection during firefighting : Do not attempt to take action without suitable protective equipment.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Absorb spillage to prevent material damage. Do not inhale vapour. Avoid contact with skin

and eyes.

6.1.1. For non-emergency personnel

No additional information available

6.1.2. For emergency responders

No additional information available

6.2. Environmental precautions

Do not allow to enter drains or water courses.

6.3. Methods and material for containment and cleaning up

For containment : Collect spillage.

Methods for cleaning up : Take up liquid spill into absorbent material. Store away from other materials.

6.4. Reference to other sections

See Heading 8. For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Avoid contact with skin, eyes and clothing.

Hygiene measures : Wash hands and other exposed areas with mild soap and water before eating, drinking or

smoking and when leaving work.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

7.2. Conditions for safe storage, including any incompatibilities

Storage area : Store in a well-ventilated place. Store away from heat.

7.3. Specific end use(s)

Laboratory chemicals.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

| UN1824 Sodium Hydroxide, volumetric solution 5.0 M (5.0 N) (1310-73-2) | | |
|---|---|--|
| France - Occupational Exposure Limits | | |
| Local name | Hydroxyde de sodium | |
| VME (OEL TWA) | 2 mg/m³ | |
| Remark | Valeurs recommandées/admises | |
| Portugal - Occupational Exposure Limits | | |
| Local name | Hidróxido de sódio | |
| OEL Ceiling | 2 mg/m³ | |
| Spain - Occupational Exposure Limits | | |
| Local name | Hidróxido de sodio | |
| VLA-EC (OEL STEL) | 2 mg/m³ | |
| United Kingdom - Occupational Exposure Limits | | |
| Local name | Sodium hydroxide | |
| WEL STEL | 2 mg/m³ | |
| SODIUM HYDROXIDE (1310-73-2) | | |
| SODIUM HYDROXIDE (1310-73-2) | | |
| SODIUM HYDROXIDE (1310-73-2) France - Occupational Exposure Limits | | |
| | Hydroxyde de sodium | |
| France - Occupational Exposure Limits | Hydroxyde de sodium 2 mg/m³ | |
| France - Occupational Exposure Limits Local name | | |
| France - Occupational Exposure Limits Local name VME (OEL TWA) | 2 mg/m³ | |
| France - Occupational Exposure Limits Local name VME (OEL TWA) Remark | 2 mg/m³ | |
| France - Occupational Exposure Limits Local name VME (OEL TWA) Remark Portugal - Occupational Exposure Limits | 2 mg/m³ Valeurs recommandées/admises | |
| France - Occupational Exposure Limits Local name VME (OEL TWA) Remark Portugal - Occupational Exposure Limits Local name | 2 mg/m³ Valeurs recommandées/admises Hidróxido de sódio | |
| France - Occupational Exposure Limits Local name VME (OEL TWA) Remark Portugal - Occupational Exposure Limits Local name OEL Ceiling | 2 mg/m³ Valeurs recommandées/admises Hidróxido de sódio | |
| France - Occupational Exposure Limits Local name VME (OEL TWA) Remark Portugal - Occupational Exposure Limits Local name OEL Ceiling Spain - Occupational Exposure Limits | 2 mg/m³ Valeurs recommandées/admises Hidróxido de sódio 2 mg/m³ | |
| France - Occupational Exposure Limits Local name VME (OEL TWA) Remark Portugal - Occupational Exposure Limits Local name OEL Ceiling Spain - Occupational Exposure Limits Local name | 2 mg/m³ Valeurs recommandées/admises Hidróxido de sódio 2 mg/m³ Hidróxido de sodio | |
| France - Occupational Exposure Limits Local name VME (OEL TWA) Remark Portugal - Occupational Exposure Limits Local name OEL Ceiling Spain - Occupational Exposure Limits Local name VLA-EC (OEL STEL) | 2 mg/m³ Valeurs recommandées/admises Hidróxido de sódio 2 mg/m³ Hidróxido de sodio | |

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

8.1.4. DNEL and PNEC

| UN1824 Sodium Hydroxide, volumetric solution 5.0 M (5.0 N) (1310-73-2) | | |
|--|---------|--|
| DNEL/DMEL (Workers) | | |
| Long-term - local effects, inhalation | 1 mg/m³ | |
| DNEL/DMEL (General population) | | |
| Long-term - local effects, inhalation | 1 mg/m³ | |

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

8.2.2. Personal protection equipment

Personal protective equipment:

EN 374.

Personal protective equipment symbol(s):





8.2.2.1. Eye and face protection

Eye protection:

Safety glasses

8.2.2.2. Skin protection

Skin and body protection:

Wear suitable protective clothing

Hand protection:

Nitrile rubber (NBR) /

8.2.2.3. Respiratory protection

Respiratory protection:

Where exposure through inhalation may occur from use, respiratory protection equipment is recommended

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

No additional information available

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Solid
Colour : Colourless.
Molecular mass : 40 g/mol
Odour : odourless.
Odour threshold : Not available

Melting point : 323 °C Decomposition: 'no' Sublimation: 'no'

Freezing point : Not available

Boiling point : 1388 °C Atm. press.: 101,325 kPa Decomposition: 'no'

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Flammability : Not available Lower explosion limit : Not applicable Upper explosion limit : Not applicable Flash point : Not applicable : Not applicable Auto-ignition temperature Decomposition temperature : Not available : > 13 pΗ pH solution Not available Viscosity, kinematic : Not applicable Solubility : Soluble.

Partition coefficient n-octanol/water (Log Kow) : Not available Vapour pressure : Not available Vapour pressure at 50 °C : Not available

Density : 2,13 g/cm³ Type: 'density' Temp.: 20 °C

Relative density : Not available
Relative vapour density at 20 °C : Not applicable
Particle size : Not available

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No additional information available

10.4. Conditions to avoid

Heat.

10.5. Incompatible materials

Acids.

10.6. Hazardous decomposition products

No additional information available

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

UN1824 Sodium Hydroxide, volumetric solution 5.0 M (5.0 N) (1310-73-2)

LD50 oral rat 500 mg/kg

Skin corrosion/irritation : Causes severe skin burns.

pH: > 13

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Serious eye damage/irritation : Assumed to cause serious eye damage

pH: > 13

Respiratory or skin sensitisation : Not classified
Germ cell mutagenicity : Not classified
Carcinogenicity : Not classified
Reproductive toxicity : Not classified
STOT-single exposure : Not classified
STOT-repeated exposure : Not classified
Aspiration hazard : Not classified

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

Adverse health effects caused by endocrine

disrupting properties

: Not applicable

11.2.2. Other information

No additional information available

SECTION 12: Ecological information

12.1. Toxicity

Hazardous to the aquatic environment, short-term : Not classified

(acute)

Hazardous to the aquatic environment, long-term : Not classified

(chronic)

UN1824 Sodium Hydroxide, volumetric solution 5.0 M (5.0 N) (1310-73-2)

EC50 - Daphnia [1] 40,4 mg/l Test organisms (species): Ceriodaphnia sp.

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

No additional information available

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

UN1824 Sodium Hydroxide, volumetric solution 5.0 M (5.0 N) (1310-73-2)

PBT: not relevant - no registration required

12.6. Endocrine disrupting properties

Adverse effects on the environment caused by

: Not applicable.

endocrine disrupting properties

12.7. Other adverse effects

Other adverse effects : Do not discharge into drains or rivers.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods : Must follow special treatment according to local regulation.

18.09.2023 (Revision date) EN (English) 7/11

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

14.1. UN number or ID number

 UN-No. (ADR)
 : UN 1824

 UN-No. (IMDG)
 : UN 1824

 UN-No. (IATA)
 : UN 1824

 UN-No. (ADN)
 : UN 1824

 UN-No. (RID)
 : UN 1824

14.2. UN proper shipping name

Proper Shipping Name (ADR) : SODIUM HYDROXIDE SOLUTION
Proper Shipping Name (IMDG) : SODIUM HYDROXIDE SOLUTION
Proper Shipping Name (IATA) : Sodium hydroxide solution

Proper Shipping Name (ADN) : SODIUM HYDROXIDE SOLUTION Proper Shipping Name (RID) : SODIUM HYDROXIDE SOLUTION

Transport document description (ADR)

: UN 1824 SODIUM HYDROXIDE SOLUTION, 8, II, (E)

Transport document description (IMDG)

: UN 1824 SODIUM HYDROXIDE SOLUTION, 8, II

Transport document description (IATA)

: UN 1824 Sodium hydroxide solution, 8, II

Transport document description (ADN)

: UN 1824 SODIUM HYDROXIDE SOLUTION, 8, II

14.3. Transport hazard class(es)

Transport document description (RID)

ADR

Transport hazard class(es) (ADR) : 8
Danger labels (ADR) : 8



: UN 1824 SODIUM HYDROXIDE SOLUTION, 8, II

IMDG

Transport hazard class(es) (IMDG) : 8
Danger labels (IMDG) : 8



IATA

Transport hazard class(es) (IATA) : 8
Danger labels (IATA) : 8



ADN

Transport hazard class(es) (ADN) : 8
Danger labels (ADN) : 8



RID

Transport hazard class(es) (RID) : 8

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Danger labels (RID) 8

14.4. Packing group

Packing group (ADR) : 11 Packing group (IMDG) : 11 Packing group (IATA) : 11 : 11 Packing group (ADN) Packing group (RID) : 11

14.5. Environmental hazards

Dangerous for the environment : No Marine pollutant : No

Other information : No supplementary information available

14.6. Special precautions for user

Overland transport

: C5 Classification code (ADR) Limited quantities (ADR) : 11 Excepted quantities (ADR) : E2 : P001, IBC02 Packing instructions (ADR) : MP15 Mixed packing provisions (ADR) Portable tank and bulk container instructions (ADR) : T7

Portable tank and bulk container special provisions

(ADR)

: L4BN Tank code (ADR) Vehicle for tank carriage : AT Transport category (ADR) 2 : Hazard identification number (Kemler No.) : 80

Orange plates

80 1824

Tunnel restriction code (ADR) : E : 2R EAC code

Transport by sea

Limited quantities (IMDG) : 1L Excepted quantities (IMDG) : E2 Packing instructions (IMDG) : P001 IBC packing instructions (IMDG) : IBC02 Tank instructions (IMDG) T7 : TP2 Tank special provisions (IMDG) : F-A EmS-No. (Fire) : S-B EmS-No. (Spillage) Stowage category (IMDG)

Properties and observations (IMDG) Colourless liquid. Colourless liquid. Reacts with ammonium salts, evolving ammonia

gas. Causes burns to skin, eyes and mucous membranes. Reacts violently with acids.

Air transport

: E2 PCA Excepted quantities (IATA) : Y840 PCA Limited quantities (IATA) PCA limited quantity max net quantity (IATA) : 0.5L PCA packing instructions (IATA) : 851 PCA max net quantity (IATA) : 1L CAO packing instructions (IATA) : 855 CAO max net quantity (IATA) : 30L

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Special provisions (IATA) : A3 ERG code (IATA) : 8L

Inland waterway transport

Classification code (ADN) : C5 Limited quantities (ADN) 1 I Excepted quantities (ADN) E2 Carriage permitted (ADN) : PP, EP Equipment required (ADN) Number of blue cones/lights (ADN) : 0

Rail transport

: C5 Classification code (RID) Limited quantities (RID) : 1L Excepted quantities (RID) : E2 Packing instructions (RID) : P001. IBC02 Mixed packing provisions (RID) : MP15 Portable tank and bulk container instructions (RID) : T7 Portable tank and bulk container special provisions : TP2

Tank codes for RID tanks (RID) : 14BN Transport category (RID) : 2 Colis express (express parcels) (RID) : CE6 Hazard identification number (RID) : 80

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

REACH Annex XVII (Restriction List)

Contains no REACH substances with Annex XVII restrictions

REACH Annex XIV (Authorisation List)

Contains no REACH Annex XIV substances

REACH Candidate List (SVHC)

Contains no substance on the REACH candidate list

PIC Regulation (Prior Informed Consent)

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

POP Regulation (Persistent Organic Pollutants)

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

Ozone Regulation (1005/2009)

Contains no substance subject to REGULATION (EU) No 1005/2009 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 September 2009 on substances that deplete the ozone layer.

Explosives Precursors Regulation (2019/1148)

Contains no substance subject to Regulation (EU) 2019/1148 of the European Parliament and of the Council of 20 June 2019 on the marketing and use of explosives precursors.

Drug Precursors Regulation (273/2004)

Contains no substance subject to Regulation (EC) 273/2004 of the European Parliament and of the Council of 11 February 2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

15.1.2. National regulations

Germany

Water hazard class (WGK) : WGK 1, Slightly hazardous to water (Classification according to AwSV, Annex 1).

Hazardous Incident Ordinance (12. BImSchV) : Is not subject of the Hazardous Incident Ordinance (12. BImSchV)

Netherlands

SZW-lijst van kankerverwekkende stoffen : None of the components are listed SZW-lijst van mutagene stoffen : None of the components are listed

NIET-limitatieve lijst van voor de voortplanting : None of the components are listed giftige stoffen – Borstvoeding

NIET-limitatieve lijst van voor de voortplanting : None of the components are listed giftige stoffen – Vruchtbaarheid

NIET-limitatieve lijst van voor de voortplanting : None of the components are listed

giftige stoffen - Ontwikkeling

Denmark

MAL code : 00-3 (Executive Order No. 301 (1993))

Danish National Regulations : Young people below the age of 18 years are not allowed to use the product

15.2. Chemical safety assessment

No additional information available

SECTION 16: Other information

| Full text of H- and EUH-statements: | |
|-------------------------------------|---|
| Eye Irrit. 2 | Serious eye damage/eye irritation, Category 2 |
| H314 | Causes severe skin burns and eye damage. |
| H315 | Causes skin irritation. |
| H319 | Causes serious eye irritation. |
| Skin Corr. 1A | Skin corrosion/irritation, Category 1A |
| Skin Corr. 1B | Skin corrosion/irritation, Category 1B |
| Skin Irrit. 2 | Skin corrosion/irritation, Category 2 |

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

18.09.2023 (Revision date) EN (English) 11/11